DOOR ENTRY SYSTEM RANGE









ADVANCED TECHNOLOGY AND ITALIAN DESIGN IN A RANGE OF SPECIALISED SOLUTIONS GUARANTEED BY AN INTERNATIONAL BRAND,

Founded in 1956, Comelit Group SpA is an industrial company operating on a worldwide scale and specialising in the design and manufacture of video entry, video surveillance, anti-intrusion, home automation, access control systems and antifire.

The company has a strong international vocation thanks to its close ties with the area in which it was created and in which its headquarters are still located today.

Comelit exports to more than 70 countries in the world and, in addition to the Italian headquarters, it consists of 15 branches located in the strategic areas in which it operates: from Europe to the Far East, from the United States to the Middle East. An articulated commercial structure, which integrates a common know-how with the knowledge of the specific needs of each market.



FOCUSING ON MANKIND AND HIS VALUES,

Comelit has always placed mankind at the centre of its vision. This humanist approach is evident in the company's focus on its employees, in the organisation of its working environment, in the ethics governing its relationships with suppliers and distributors, and in the partnership it fosters with installers. Every Comelit product expresses this vision, constructed on the basis of enduring values.

CONSTANT INNOVATION, FRIENDLY TECHNOLOGY.

Constantly looking at the future is Comelit's mission. Innovation through continuous investments in men and technology, is expressed in the design of new solutions, in the name of maximum simplicity and functionality, able to contribute to a better quality of everyday life.

DESIGN: STYLE, PASSION, ART.

Besides placing technology at the service of mankind, Comelit is also a byword for design. Its unique and original style combines the most hi-tech materials with simple lines, clean shapes and cutting-edge colours. Every Comelit product therefore conveys a new concept for living in a space, in harmony with modern architectural trends.



D

DESIGN PLUS

Merlion Awards

German DESIGN AWARD 2017





ANSWER WHEREVEF

COMELIT APP



The Comelit App allows your video entry systems to be managed remotely by smartphones and/or tablets connected to 3G networks or above. It is possible to respond to calls from the entry station, make intercom calls, view recorded videos from the entry station and control the opening of gates and doors. The Comelit APP is available free of charge for iOS and Android devices.



ANSWER CALLS FROM EXTERNAL UNITS

You can answer audio or audio / video calls from a smartphone or tablet locally or remotely (with 3G or higher network).

VIEW AND MANAGE CAMERAS

You can view (live) CCTV cameras and images from the entrance panels.

MAKE AND RECEIVE CALLS FROM OTHER INTERNAL UNITS (IN THE CONTACTS LIST) AND FROM OTHER DEVICES

You can make or answer audio calls from a smartphone or tablet with 3G or higher network to ViP internal units.



VIDEO MEMORY

The Video Memory function allows to record and view videos from external units and CCTV cameras (up to 10 seconds).

ACTUATOR ACTIVATION AND MANAGEMENT

This function is used to control actuators to control lights, gates, barriers, etc.

SAVE YOUR BATTERY AND YOUR DATA

Comelit APP activates itself only when you receive a call, showing a push notification, saving your mobile data and battery.



30NE6 TOUCH 24 30NE6 SENSE 30NE6 ANALOG 26 IKALL METAL 28 30 IKALL QUADRA VISTO 34 EXTRA 36 VANDALCOM 38 BESPOKE 39



INTERNAL UNITS

German Design Award Special 2017







*Functions available only with 6803W



- Full-duplex hands-free door entry monitor with 7" touch-screen (Exc 6801W and 6801W/BM) colour display Commands with "Sensitive touch" technology, LED backlighting and
- "Swipe" technology
- Semi flush-mounted, wall-mounted and desk base installation
- Version for SBTOP 2-wire and digital ViP system
- Dimensions: 223x124x12 mm

Contrast, brightness and ringtone volume adjustment and privacy control н.

6801W	7" MAXI SERIES MONITOR. SBTOP
6801W/BM	MAXI SERIES 7" MONITOR, MAG. LOOP VERSION. SBTOP
6802W	MAXI SERIES 7" MONITOR. VIP SYSTEM
6802B	MAXI VIP MONITOR, BLACK - VIP SYSTEM
6842W	MONITOR MAXI 7" WI-FI VIP - VIP SYSTEM
6803W	MAXI PLUS 7" MONITOR - VIP SYSTEM











- Full-duplex hands-free door entry monitor with 4.3" 16/9 touch-screen (ViP) colour display
- Commands with "Sensitive touch" technology, LED backlighting and "Swipe" technology
- Semi flush-mounted, wall-mounted and desk base installation Version for SBTOP 2-wire and digital ViP system
- Dimensions: 142x145.5x12 mm
- Contrast, brightness and ringtone volume adjustment and privacy control

6601W	ICONA SERIES HANDS-FREE COLOUR MONITOR. SBTOP SYSTEM
6601W/BM	ICONA SERIES HANDS-FREE COLOUR MONITOR, MAG. LOOP VERS. SBTOP
6602W	ICONA SERIES HANDS-FREE COLOUR MONITOR. VIP SYSTEM. H264
6602B	ICONA VIP MONITOR, BLACK

INTERNAL UNITS







1













6712A SBT system 6712V VIP system

- Full-duplex handset door entry monitor with 4.3" 16/9 B/W or colour display
- Commands with "Sensitive touch" technology and LED backlighting
- Wall-mounted and desk base installation
- Version for SBTOP 2-wire system
- Dimensions: 175x160x22 mm
- Contrast, brightness and ringtone volume adjustment and privacy control
- Available in White or Black

6700W B/W MINI MONITOR WITH HANDSET. WHITE. SBTOP SYSTEM 6701W MINI MONITOR WITH HANDSET, WHITE. SBTOP SYSTEM 6701W/BM MINI MONITOR WITH HANDSET AND MAG.LOOP. WHITE. SBTOP SYSTEM 6701B MINI MONITOR WITH HANDSET. BLACK. SBTOP SYSTEM 6701B/BM MINI MONITOR WITH HANDSET AND MAG.LOOP. BLACK. SBTOP SYSTEM 6701B/BM MINI MONITOR WITH HANDSET AND MAG.LOOP. BLACK. SBTOP SYSTEM 6702W MINI MONITOR WITH HANDSET AND BM. WHITE VIP		
 6701W/BM MINI MONITOR WITH HANDSET AND MAG.LOOP. WHITE. SBTOP SYSTEM 6701B MINI MONITOR WITH HANDSET. BLACK. SBTOP SYSTEM 6701B/BM MINI MONITOR WITH HANDSET AND MAG.LOOP. BLACK. SBTOP SYSTEM 	6700W	B/W MINI MONITOR WITH HANDSET. WHITE. SBTOP SYSTEM
 6701W/BM MINI MONITOR WITH HANDSET AND MAG.LOOP. WHITE. SBTOP SYSTEM 6701B MINI MONITOR WITH HANDSET. BLACK. SBTOP SYSTEM 6701B/BM MINI MONITOR WITH HANDSET AND MAG.LOOP. BLACK. SBTOP SYSTEM 		
6701BMINI MONITOR WITH HANDSET. BLACK. SBTOP SYSTEM6701B/BMMINI MONITOR WITH HANDSET AND MAG.LOOP. BLACK. SBTOP SYSTEM	6701W	MINI MONITOR WITH HANDSET, WHITE. SBTOP SYSTEM
6701BMINI MONITOR WITH HANDSET. BLACK. SBTOP SYSTEM6701B/BMMINI MONITOR WITH HANDSET AND MAG.LOOP. BLACK. SBTOP SYSTEM		
6701B/BM MINI MONITOR WITH HANDSET AND MAG.LOOP. BLACK. SBTOP SYSTEM	6701W/BM	MINI MONITOR WITH HANDSET AND MAG.LOOP. WHITE. SBTOP SYSTEM
6701B/BM MINI MONITOR WITH HANDSET AND MAG.LOOP. BLACK. SBTOP SYSTEM		
6701B/BM MINI MONITOR WITH HANDSET AND MAG.LOOP. BLACK. SBTOP SYSTEM	6701B	MINI MONITOR WITH HANDSET BLACK SBTOP SYSTEM
	01010	
	6701B/BM	MINI MONITOR WITH HANDSET AND MAG LOOP BLACK SETOP SYSTEM
6702W MINI MONITOR WITH HANDSET AND BM WHITE VIP	01010/010	
6702W MINI MONITOR WITH HANDSET AND RM WHITE VIP		
	6702W	MINI MONITOR WITH HANDSET AND RM. WHITE VIP
	01021	

INTERNAL UNITS







6732A SBTOP SYSTEM 6732V VIP SYSTEM

- Full-duplex hands-free door entry monitor with 4.3" 16/9 colour display
- Commands with "Sensitive touch" technology and LED backlighting
- Wall-mounted installation
- Version for SBTOP 2-wire system
- Dimensions: 115x160x22 mm
- Contrast, brightness and ringtone volume adjustment and privacy control

Mini Handsfree





INTERNAL UNITS

Mini Audio



- Door-entry phone with handset
- Wall-mounted and desk base installation
- Version for SBTOP S1, SBTOP S2, 4+n
- Dimensions: 103x190x17 mm
- Ringtone volume adjustment and privacy control
- Available in White with 2 or 5 buttons

2702W	DOOR-ENTRY PHONE W/ 2 BUTTONS FOR TRAD. SYSTEM. MINI SERIES
2703U	UNIVERSAL DOOR-ENTRY PHONE WITH 2 BUTTONS. MINI SERIES
2708W	DOOR-ENTRY PHONE W/ 2 BTNS FOR SIMPLEBUS AUDIO. MINI SER.
2738W	DOOR-ENTRY PHONE W/ 2 BTNS FOR SIMPLEBUS TOP A/V. MINI SER.
2719W	DOOR-ENTRY PHONE W/ 5 BTNS FOR SIMPLEBUS TOP A/V. MINI SER.
2712W	ENTRY PHONE FOR KIT. MINI SERIES.





Mini Audio Handsfree



INTERNAL UNITS

Easycom



- Hands-free door-entry phone
- Surface-mounted or desk base installation
- Version for digital ViP system
- Dimensions: 90x160x28 mm
- Call volume adjustment and privacy control
- Available in White or Black

6203B	EASYCOM VIP UNIT - BLACK
6203W	EASYCOM VIP UNIT - WHITE







Style

- Door-entry phone with handsetSurface-mounted or desk base installation
- Version for ViP system
- Dimensions: 95x215x58 mm
- Call volume adjustment and privacy control

2633 ELEGANCE DOOR-ENTRY PHONE, VIP SYSTEM. STYLE SERIES











((•))

«comelit

30066 Touch







		~	
		U	
		N AL INCLU	
		λ =0 ⊠	
	ANDERS FRIDEN	4 A	1
	ANNA LLORENT	۵c	
	ARTICK KELLER	4	r IIII
1 Mil	BASIC EXPO	Q DI F	
16616	BRANDON S.	¢ GALL	
G.U.A	B.W.C. & CO.	Ф.	
line	CARLO ROSSI		
	CECILLE BLANC	A RCT	
Staff.	CIME R.	Ą	la.
KIP	COLTER JACK	Q U.Z	
00214	((•))		- 1000

 \ll


- Audio and audio/video external unit
- In AISI 316 stainless steel
- 8" backlit touch-screen colour display
- Flush- and surface-mounted installation
- Available for SBTOP 2-wire and digital ViP system
- Dimensions: 342x182x4 mm
- Attractive and intuitive fully graphic interface
- IK08 protection rating
- Voice messages and visual indications for hearing aid users via pictograms on the display
- 4 different call modes (name search, code, alphabetic entry button and button with customisable graphics)
- Integrated RFID reader

3453S	STAINLESS STEEL SBC 316 TOUCH A/V ENTRANCE PANEL
3454S	316 AUDIO VIDEO ENT. PAN., TOUCH H264 - VIP

reddot design award



- Audio and audio/video external unit
- In AISI 316 stainless steel
- Backlit 128x64 pixel graphic display
- Alphanumeric keypad featuring exclusive "Sensitive Touch" technology
- Flush- and surface-mounted installation
- Available for SBTOP 2-wire and digital ViP system
- Dimensions: 342x182x4 mm
- Braille character keys, voice messages and visual indications for hearing aid users via pictograms on the display
- IK08 protection rating
- Integrated RFID reader
- Night-time lighting with accessory (rain shield)





3451AS	STAINLESS STEEL SBC DIG. 316 SENSE AUDIO ENT.PAN.
3451S	STAINLESS STEEL SBC DIGITAL 316 SENSE A/V ENT.PAN.
3452S	316 AUDIO VIDEO ENT. PAN., SENSE H264 - VIP

300e6 Sense













- Audio and audio/video external unit
- In AISI 316 stainless steel
- Call buttons featuring exclusive "Sensitive Touch" technology
- Flush-mounted installation
- Available for SBTOP 2-wire and digital ViP system
 Available in versions with 1 to 12 buttons

- IK08 protection ratingVoice messages, LED indications and graphic icons for hearing aid users

3001XVB3012XVB	316 ANALOG AUDIO/VIDEO ENT.PANEL
3001XAS3012XAS	316 SBC AUDIO ENTRANCE PANEL
3001XAB3012XAB	316 ANALOG AUDIO ENT.PANEL
3201XAS3012XAS	316 AUDIO ENT. PANEL - VIP
3201XVS3012XVS	316 AUDIO VIDEO ENT. PANEL - H264 VIP











- Audio and audio/video external unit
- Steel finish
- Flush- and surface-mounted installation
- Available for SBTOP 2-wire and digital ViP system
- Analogue or digital version with "sensitive touch" technology
- Protection index IP54
- Large, easy to remove nameplates
- Audio and visual indications with pictograms illuminated by LED backlighting

FOR FURTHER INFORMATION PLEASE CONTACT COMELIT SALES

Station and state Bine States ø ALC: NOTE: N 0 Rob Miller

line and

r

1

A

8

V.

1/2



«comelif









 \ll





- Audio and audio/video external unit
- Flush- and surface-mounted installation
- Available for SBTOP 2-wire and digital ViP system
- Analogue or digital version with "sensitive touch" technology
- Protection index IP54
- Large, easy to remove nameplates
- Audio and visual indications with pictograms illuminated by LED backlighting

FOR FURTHER INFORMATION PLEASE CONTACT COMELIT SALES





Quadra











- Audio/video external unit
- Die-cast aluminium cover
- Mechanical call buttons
- Surface-mounted installation
- Dimensions 95x195x23 mm.
- Colour video camera with wide viewing angle
- IK08 protection rating
- 4 indicator LEDs for call sent, door open, audio active, system busy
- White LED for illumination
- Nameplate holder in versions with 1/2/4 buttons
- High performance loudspeaker

4893M	QUADRA ENTRANCE PANEL W/ BUTTONS. 2-WIRE
4793MA	ALUMINIUM FACEPLATE FOR QUADRA ENTRANCE PANEL
4793MB	BLACK FACEPLATE FOR QUADRA ENTRANCE PANEL
4793MC	CORTEN FACEPLATE FOR QUADRA ENTRANCE PANEL




- HD live Streaming
- Answer with your smartphone
- Motion Detection
- Surface mounted
- Dimensions 135x 46x32 mm
- RGB LEDs
- High quality audio
- Interchangeable coloured covers




KITVISTO	WI-FI VISTO KIT
KITVISTO/C	WI-FI VISTO KIT WITH POWER SUPPLY AND WIRELESS CHIME
KITVIST02	2-WIRE ETHERNET VISTO KIT

Visto







.



«Comelit





- Audio external unit
- Stainless steel cover
- Available with 1, 2, 3 or 4 buttons
- Surface or wall-mounted installation
- Surface of wair-mounted installation
 Dimensions 95x135x25 mm.
 Easy to change/remove nameplates
 High performance loudspeaker
 White LED illumination

ET5001	EXTRA 4+N. SERIES ENTRANCE PANEL KIT. 1 BUTTON
ET5002	EXTRA 4+N. SERIES ENTRANCE PANEL KIT. 2 BUTTONS
ET0001	2 WIRE SINGLE-FAMILY EXTRA ENTRANCE PANEL
ET5100	EXTRA 4+N BUTTON MODULE; BUTTONS NOT INCLUDED
ET9210	2 DOUBLE HEIGHT BUTTONS FOR EXTRA ENTRANCE PANEL
ET9211	4 SINGLE BUTTONS FOR EXTRA ENTRANCE PANEL

EXTERNAL UNITS

Valdalcom



- Audio and audio/video external unit
- Modules made using double 2.5 mm stainless steel plate
- Flush- and surface-mounted installation
- Available for SBTOP 2-wire and digital ViP system
- Stainless steel micro stroke buttons
- Analogue or digital version
- IK10 protection rating





- Audio and audio/video external unit
- 2.5mm marine grade Stainless Steel
- Flush and surface mounted installation
- From a 1 button panel to unlimited users
- Available for SBTOP 2-wire and digital ViP system
- IK08 protection rating
- LED indication and voice annunication

0



 \ll

FOR FURTHER INFORMATION PLEASE CONTACT COMELIT SALES





Gateways and Call log

1456B - MULTI-USER GATEWAY FOR VIP SYSTEM

The Multi User Gateway (MUG) is a device that allows residents to receive calls, view who is calling them and open their door from anywhere in the world on their smartphone or tablet. The MUG is a single device that only requires one internet connection, therefore all of this can be setup without the need to connect to each individual apartment's network –giving significant saving on time and money.

Furthermore, the MUG is flexible in that it can be retrospectively installed onto an existing Comelit VIP door entry system or it can be installed as part of a new build. The MUG has options for all types of budgets as there are three one-off licences to choose from with the MUG.

- Option 1 is to use the App with a physical door entry monitor known as a Slave License
- Option 2 is the use the Comelit App for video door entry calls via your mobile or tablets device only known as a Master license
- Option 3 is to have a telephone only license that makes an audio only call to a landline or mobile, known as a telephone license.

With the flexibility of the VIP system you can also mix and match these licenses

Like all App's, the Comelit App is reliant on having Wi-Fi or 3G/4G. However for peace of mind that you will not miss a call, there is the possibility to have a telephone call option as a back-up. The MUG has been designed very much with the installation company and building management Company

in mind, it is centrally managed via a very intuitive web interface, allowing the users on the system to be changed, added or deleted.

1456 - MASTER APARTMENT GATEWAY

The Master Gateway gives the possibility for a resident to answer their calls, view who has called them and open the door via their smartphone or tablet via the Comelit App without the need for a Comelit monitor in situ. This device is fitted locally within the property and connects to the local network, once setup the user of the App has the ability to install the Comelit App on up to 15 different devices. This is an ideal door entry system for houses, commercial properties, school, hospitals and many more.

1456S - APARTMENT SLAVE GATEWAY FOR VIP SYSTEM

The Slave Gateway gives the possibility for a resident to answer their calls, view who has called them and open the door via their smartphone or tablet via the Comelit App in conjunction with a Comelit monitor in situ. This device is fitted locally within the property and connects to the local network, once setup the user of the App has the ability to install the Comelit App on up to 15 different devices as well as the physical device. This is an ideal door entry system for houses, commercial properties, school, hospitals and many more.

1459 - CALL LOG SERVER. VIP SYSTEM

Server device for ViP system that allows the recording, storage and playback of calls from external units. Complete with Call-Log administrator software for settings (IP address, date, time, enable audio, video or audio-video recording, recording duration and recording storage time) and recording filters (days of the week, external unit making the call, internal unit receiving the call). Compatible with Windows operating systems. 19 Vdc power supply. Equipped with power supply unit with 100-240 Vac 50/60 Hz input and 19 Vdc output. Dimensions: 190x190x55 mm.

FOR FURTHER INFORMATION PLEASE CONTACT COMELIT SALES



Comelit's London demonstration suite has been created to allow Developers, Consultants, Clients and Installers to experience the complete portfolio of products we have to offer. From Door Entry, CCTV, Access Control and Home Automation, you are able to interact directly with the systems to enable you to select the right products for your eeds and also view new products and Innovations from Comelit.

elit

Assign Technology Design



NORTHERN IRELAND & SCOTLAND Business Development Manager 07500 946241 ireland@comelitgroup.co.uk

LONDON NORTH & HOME COUNTIES Business Development Manager 07867 450028 londonnorth@comelitgroup.co.uk

> **LONDON SOUTH** Business Development Manager 07710 823516 londonsouth@comelitgroup.co.uk

NORTH-EAST Business Development Manager 07818 073255 northeast@comelitgroup.co.uk

NORTH-WEST Business Development Manager 07717 131725 northwest@comelitgroup.co.uk

SOUTH-WEST Business Development Manager 07798 888685 southwest@comelitgroup.co.uk

CCTV Business Development Manager 07798 888657 cctv@comelitgroup.co.uk

ACCESS CONTROL Business Development Manager 07551 151163 accesscontrol@comelitgroup.co.uk

Specifications 07827 017316 specifications@comelitgroup.co.uk




www.comelitgroup.com

CONTACTS.

United States of America

Colombia





www.comelitgroup.com



No part of this document may be reproduced without prior written authorisation from Comelit Group spa. The brands and trade names cited in this publication are the property of their respective owners.

www.comelitgroup.com



No part of this document may be reproduced without prior written authorisation from Comelit Group spa. The brands and trade names clied in this publication are the property of their respective owners. DOOR ENTRY SYSTEM RANGE | 🕉 COM

DOOR ENTRY SYSTEM RANGE





