

Maxi Android

THE IP DOOR ENTRY SOLUTION

3RD PARTY APP INSTALLATION





Maxi. High-end technology
in a 7" panoramic monitor.
Make yourself comfortable;
the show is about to begin.



Maxi is the new benchmark for high-level door entry monitors. Its shape is the result of Comelit's search for an innovative design. A commitment which has seen the company earn top-level international plaudits and recognition such as the Red Dot design award, Design Plus, Design Index ADI, Good Design awards and Special Mention in German Design award 2017. Maxi, also a winner of the Good Design award and available in two versions - 2-wire and ViP - combines design values with cutting-edge technology and features a 7-inch 16/9 screen.

DESIGN
MILANO



DESIGN PLUS



reddot design award

Merlion
Awards

Maxi Android



The revolution of door entry monitor design, now powered with Android



SCREEN

16:9 7" colour wide touch screen with touch activation.



OPTIONS AND VERSIONS

Available in flush-mounted, wall-mounted with bracket and desk base versions.



SWIPE FUNCTIONS

Swipe functions: the icons appear on the control panel with a simple swipe.



CAPACITIVE TOUCH SCREEN

Capacitive 7" wide touch screen with gesture recognition.




DOOR ENTRY MONITOR BUTTONS

Lock-release, audio in, 5 programmable keys, self-ignition and privacy/doctor.



SETTINGS

Audio and ringtone volume, colour and adjustment of backlighting intensity.




3rd party app installation*

*Third Party APPS that Comelit deems are compatible can be installed from our own APP store.


Maxi Android Comelit APP Startscreen




▼ Maxi Android Video Door Entry Menu.



▼ Maxi Android Sample widgets overview



▼ Maxi Android Sample widgets overview



Maxi Android




Android ViP version,
technology and design
in panoramic format.

MAIN FEATURES & FUNCTIONS:


- Comelit ViP technology
- 3rd Party App Installation
- 5 mpx Camera
- 7" 16:9 Touch Screen Monitor
- SD Card
- Customisable Ringtone
- Comelit SimpleHome Ready
- Intercom Function
- P.O.E. and WiFi
- Comelit Design
- Can be installed on a Shared or dedicated LAN
- No Server Required - Peer To Peer Architecture


- Customisation of melodies, door entry monitor video memory, messages, energy consumption log
- 3 Programmable inputs
- Option of sending emails about door entry monitor, home automation and anti-intrusion system events
- Door entry monitor video memory
you can enable (or disable) the video memory function
- Messages
you can receive messages or alerts from the switchboard.
The arrival of a new message is indicated visually by leds

SWIPE **TECHNOLOGY**



CAPACITIVE TOUCH SCREEN







FEATURES AND FUNCTIONS

	6803W
GENERAL SPECIFICATIONS	
System	ViP
Audio/video system	YES
Flush-mounted	YES
Wall-mounted	YES
Hands-free function	YES
Induction loop function	YES
Type of display	LCD
Display size (inches)	7" 16/9
Touch screen display	YES
Display resolution (H x V)	1024x600pixel
B/W or colour display	Colour
Product color	White RAL9003
Sensitive Touch technology	YES
Total buttons	8
LED signaling	8
Button backlight color	White
FUNCTIONS	
Actuator control	YES
Self-ignition	YES
Switchboard call	YES
Call forwarding	YES
Ringtone exclusion	YES
Floor door call	YES
Intercom	YES
Customisable ringtone	YES
Video memory	YES
Alarm	YES
Message reception	YES
Sending of emails on event	YES
Door unlock	YES
Full Duplex hands-free	YES
SETTINGS	
Loudspeaker volume control	YES
Ringtone volume control	YES
Display backlighting control	YES
TECHNICAL SPECIFICATIONS	
Supply voltage	36÷57Vdc
POE power supply	YES
Maximum current absorption (mA)	220
Power consumption stand-by (mA)	46
In called absorption (mA)	76
In communication absorption (mA)	82
Microphone	5mm omni-direction
Speaker	4ohm 2W - 86 dBA at 0,5 mt
SD card support (Card not included)	YES
IP Rating	30
Operating temperature (°C)	-5÷40
Video encoding	H.264
Product weight (g)	0,7
Terminals	CFP1 IN1 AL PAN OUT1 S+ S- 0V
Network connection	RJ45
IP assignment	AUTO IP / DHCP / STATIC IP
Wi-Fi	YES
Front camera resolution	5 Megapixel

ACCESSORIES

	6817	FLUSH-MOUNTED BOX FOR MAXI MONITOR Black ABS plastic flush-mounted box. Dimensions: 212x115x50 mm.
	6821	WALL-MOUNTED SUPPORT FOR MAXI MANAGER MONITOR Wall support for Maxi monitor. White. Dimensions: 216x117x19 mm.

8 023903 352184 cod. 2G32000721

www.comelitgroup.com



No part of this document may be reproduced without prior written authorisation from Comelit Group Spa. The brands and trade names cited in this publication are the property of their respective owners.