





**CAMEL SECURITY**

**SHENZHEN CAMEL SECURITY CO., LTD**


### ST86/ST50/ST70/ST40 Touch Button



**ST86**



**ST50**




**ST70**



**CAMEL SECURITY**

**SHENZHEN CAMEL SECURITY CO., LTD**



**ST40**

## Product Introduction

ST86/ST50/ST70/ST40 series button is casted by 304 stainless steel with drawing panel processing. It is elegant style with long time usage.

## Parameter for ST86/ST50/ST70/ST40 Button

parameter	Description
Dimension	86*86*25mm (ST86); 86*50*25mm (ST50); 115*70*25mm (ST70); 115*40*25mm (ST40)
Standard Structure	Stainless Steel Panel, Steel Button
Panel Material	304 Stainless Steel, Wire Drawing Finished
Current	3A@36VDC Max
Output Contact	NO//NC/COM
Optional Accessories	M86; M50; M70; M40
Mechanical Life	500,000 tested
Operating Temperature	10 - 55°C (14-131F)
Operating Humidity	0-95% (non-condensing)
Weight	0.12kg (ST86 and ST70); 0.11kg (ST50 and ST40)
Packing Quantity (PCS/CTN)	100pcs/ctn
Carton Package Size	51*46*25cm (ST86 and ST50); 51*43*32cm (ST70 and ST40)
Gross Weight	12kg (ST86 and ST70); 11kg (ST50 and ST40)

## Advantage

[www.camelsecurity.com](http://www.camelsecurity.com)

**CAMEL SECURITY---YOUR TRUSTED SECURITY SYSTEM SUPPLIER**



**CAMEL SECURITY**

**SHENZHEN CAMEL SECURITY CO., LTD**

---

1, various plates with different characters

2, CE & RoHS Certificated

3, OEM/ODM welcome

4, 3 years warranty