



*SUSTAINABLE PRODUCTS FOR A **GREENER** TOMORROW*

To help people thrive, we understand the importance of creating products that not only help our customers, but the world we live in. For that reason, we move toward earth-friendly policies and practices that reduce our environmental footprint.

Our ergonomic monitor arms reflect our commitment to sustainability. Most important, they're built to last, which means long-term use for you and less waste in our communities.

How we're doing our part:



99.9% of the raw materials used in Ergotron's monitor arms are recyclable.



More than 90% of all potential waste is recycled, reused or composted.



Our main facility is Energy Star certified, using 35% less energy and generating 35% less emissions.



HX Dual Monitor Arm (45-476-216)

	Material	Total Weight (KG)	% of Weight	% Recyclable	Recyclable Weight (KG)	COO China
ALUMINIUM	Die cast aluminum ADC10/A380	5.27	34%	100%	1.83	✓
BRASS	Brass	100%	4%	100%	0.19	✓
BRONZE	Bronze	0.02	0%	100%	0.02	✓
PLASTIC	Plastic blend of Aramid and Teflon	0.01	0.1%	0%	0.25	✓
	Plastic (commonly known as Acetal or Delrin)	0.00	0.0%	100%	0.00	✓
	Plastic (commonly known as Nylon)	0.05	0.5%	100%	0.00	✓
	Plastic polypropylene	0.02	0.2%	100%	0.05	✓
	Plastic ABS	0.55	5.1%	100%	0.02	✓
TEFLON	Teflon	0.00	0.0%	0%	0.00	✓
STEEL	Cold rolled steel SPCC	0.76	7.0%	100%	0.76	✓
	Hot rolled steel SPHC	1.92	17.7%	100%	1.92	✓
	Stainless steel	0.02	0.2%	100%	0.02	✓
	AISI 1020	0.04	0.4%	100%	0.04	✓
	AISI 1045	0.39	3.6%	100%	0.39	✓
	Steel	0.09	0.8%	100%	0.09	✓
	Alloy steel	0.32	3.0%	100%	0.32	✓
	Carbon steel 82B	0.22	2.0%	100%	0.22	✓
	Steel class 8.8 grade A	0.04	0.3%	100%	0.04	✓
	Steel class 6.8 grade A	0.01	0.1%	100%	0.01	✓
	Steel class 4.8 grade A	0.08	0.7%	100%	0.08	✓
	Steel class 12.9 grade A	0.11	1.0%	100%	0.11	✓
	Steel class 10.9 grade A	0.10	0.9%	100%	0.10	✓
ZINC	Zinc casting	0.53	4.9%	100%	0.53	✓
IRON	Iron	0.04	0.4%	100%	0.04	✓
TOTAL		10.85	100%	99.9%	10.84	





LX Dual Direct Monitor Arm (45-489-216)

	Material	Total Weight (KG)	% of Weight	% Recyclable	Recyclable Weight (KG)	COO China
ALUMINIUM	Die cast aluminum	1.83	34%	100%	1.83	✓
PLASTIC	ABS	0.19	4%	100%	0.19	✓
	ABS and adhesive	0.00	0%	0%	0.00	✓
	Nylon PA 66	0.02	0%	100%	0.02	✓
	Plastic (commonly known as Acetal)	0.01	0%	0%	0.00	✓
	Plastic (commonly known as Nylon)	0.02	0%	100%	0.02	✓
	Plastic blend of Aramid and Teflon	0.00	0%	0%	0.00	✓
	Plastic UHMW	0.00	0%	100%	0.00	✓
	Plastic used for high wear applications like pivot joints	0.00	0%	100%	0.00	✓
RUBBER	EPDM 60 Durometer	0.00	0%	100%	0.00	✓
STEEL	Alloy steel	0.17	3%	100%	0.17	✓
	Carbon steel 82B	0.14	3%	100%	0.14	✓
	Cold rolled steel	0.54	10%	100%	0.54	✓
	Hot rolled steel	1.80	33%	100%	1.80	✓
	Plain carbon steel	0.04	1%	100%	0.04	✓
	Steel	0.43	8%	100%	0.43	✓
	Steel AISI 1008	0.02	0%	100%	0.02	✓
	Steel AISI 1076	0.00	0%	100%	0.00	✓
	Steel AISI C1018	0.02	0%	100%	0.02	✓
	Steel class 10.9 grade B	0.03	1%	100%	0.03	✓
	Steel class 12.9 grade A	0.03	1%	100%	0.03	✓
	Steel class 4.8 grade A	0.08	2%	100%	0.08	✓
	Steel class 5.6 grade A	0.02	0%	100%	0.02	✓
	Steel class 8.8 grade A	0.01	0%	100%	0.01	✓
	Steel used for Belleville washers	0.01	0%	100%	0.01	✓
	TOTAL		5.42	100%	99.8%	5.41

